Tudor Gingerbread House Template: page 1 of 6

16 baked pieces over 6 pages. Check the red bar on every page first.

What is on each page

Page 2 Gable front: 5 windows, half-timber guide. 5 in wide, 5.58 in to the peak

Page 3 Gable back: 3 windows, half-timber guide

Page 4 Side walls, cut 2: 5.5 x 2.6 in, 4 windows each

Page 5 Roof panels, cut 2: 4.24 x 6.8 in, steep 50 degrees

Page 6 Entry bay: front gable with the door, 2 side walls, 2 roof panels

Page 1 The door cut-out and the 4 chimney faces

Finished Tudor house

About 5 in wide and 6 in deep at the walls, about 6 in tall to the ridge, 1 1/8 in more at the chimney top.

The entry bay adds 1 3/8 in at the front, glued to the front wall over the centre.

About 148 square inches of dough: one batch, rolled 1/4 inch thick.

Use a board at least 14 x 11 in so the bay, the path and the trees fit.

Door and chimney, 5 pieces



Door

bake the cut-out from the bay



Chimney high face

3/4 x 1.28



Chimney low face

3/4 x 1.93



Side face 1

slant is the base



Side face 2

slant is the base

1 inch test bar
measure it first

The chimney is a box with a slanted base. The two long faces run along the ridge, the high face nearest the peak. The two short faces carry the slant, so the stack sits level on the roof. Trim the slants warm, to the line.

Front door: bake the door cut-out beside the bay, then glue it back in.

Solid line: cut. Dashed black shape: cut out before baking and leave open.
Red dashes: guide only, do not cut (timber lines, wall line, roof line, bay position).
Print at Actual Size or 100 percent, never Fit to Page. bestgingerbreadhouses.com

Tudor Gingerbread House Template: page 2 of 6

Gable front. Cut the dashed openings out before baking.



Gable front, outside face

1 inch test bar
measure it first

Cut on the parchment and slide the paper onto the pan. The red box marks where the entry bay is glued. Pipe the red timber lines in dark brown icing over white once the piece is baked and cool.

Solid line: cut. Dashed black shape: cut out before baking and leave open.
Red dashes: guide only, do not cut (timber lines, wall line, roof line, bay position).
Print at Actual Size or 100 percent, never Fit to Page. bestgingerbreadhouses.com

Tudor Gingerbread House Template: page 3 of 6

Gable back. Cut the dashed openings out before baking.



Gable back, outside face

1 inch test bar
measure it first

The back has no bay. Pipe the red timber lines in dark brown icing

over white once the piece is baked and cool.

Solid line: cut. Dashed black shape: cut out before baking and leave open.

Red dashes: guide only, do not cut (timber lines, wall line, roof line, bay position).

Print at Actual Size or 100 percent, never Fit to Page. bestgingerbreadhouses.com

Tudor Gingerbread House Template: page 4 of 6

Side walls, cut 2. Pipe the timber lines once the walls stand.



1 inch test bar
measure it first

outside face. Fits between the two gables. Red dashes: half-timber piping guide.



outside face. Fits between the two gables. Red dashes: half-timber piping guide.

Solid line: cut. Dashed black shape: cut out before baking and leave open.
Red dashes: guide only, do not cut (timber lines, wall line, roof line, bay position).
Print at Actual Size or 100 percent, never Fit to Page. bestgingerbreadhouses.com

Tudor Gingerbread House Template: page 5 of 6

Roof panels, cut 2. They run the full depth and hang past both gables.

1 inch test bar
measure it first



Solid line: cut. Dashed black shape: cut out before baking and leave open.

Red dashes: guide only, do not cut (timber lines, wall line, roof line, bay position).

Print at Actual Size or 100 percent, never Fit to Page. bestgingerbreadhouses.com

Tudor Gingerbread House Template: page 6 of 6

Entry bay: front gable with the door, 2 side walls, 2 roof panels.



Bay front, cut 1



Bay side 1



Bay side 2



Bay roof 1



Bay roof 2



1 inch test bar
measure it first

The bay is a small gabled porch. Its roof panels run from the bay gable back to the main front wall, where they butt flat against the wall. Glue the bay to the front wall inside the red box on page 2, then set its two roof panels.

Solid line: cut. Dashed black shape: cut out before baking and leave open.
Red dashes: guide only, do not cut (timber lines, wall line, roof line, bay position).
Print at Actual Size or 100 percent, never Fit to Page. bestgingerbreadhouses.com